

| 1. | CONTRACTING PARTIES | : This contract is t | E OF UT | AH CONTRACT | | |
|---------|--|--------------------------------------|------------------|-------------------------|-----------------|------------------------------------|
| | Dept. of Transportation | 810 | | | | |
| | Agency Name | Agency Code | | gion Three r | eferred to as | STATE and the following: |
| | CONTRACTOR | Geneva Rock | | | LEGAL S' | TATUS OF CONTRACTOR |
| | | Name P O Box 538 | · · | | | Sole Proprietor |
| | | Address | | | | Non-Profit Corporation |
| | Orem Orem | UT | | 84059 | X | For-Profit Corporation Partnership |
| | City Waylund Ludlow | State | | Cip Code | | Government Agency |
| | Contact Person | | Phone 1 | 65-7800 | | |
| | <u>870222611</u> | 00856E | - Hone 1 | 74514140821, | 74514140845 | 74514140020 |
| | Federal ID# | Vendor Number | · | Con | mmodity Code | (s) |
| 2. CON | NTRACT TYPE AND PURPOSI | E: | | | - | |
| | | | | | | |
| | This is a requirements contract amount of \$79,846.87 is require | ed. | With variou | is types of winter patc | h material. A | performance bond in the |
| 2 220 | | | | | | |
| 3. PROC | CUREMENT: This contract is en sistion # 810 56000000027 | tered into as a result | of the Pro | curement process on b | id RF5 | 037, |
| requ | isition # 810 56000000027 | FY 2005 | | _ | | <u> </u> |
| 4. CONT | TRACT PERIOD: Effective date | 01-Oct2004 | 4 Т _е | rmination date 01 | 0-4-2006 | _ |
| extend | led in accordance with the terms | of this contract. Ren | newal Optic | ons (if any) None | -Oct2006 | _, unless terminated early or |
| | FRACT COSTS: This is a require | | | | <u> </u> | |
| | | ments contract. Sec | : Attachme | nt C for pricing | | |
| | CHMENT A: Division of Pu | rchasing's Standard | Terms and | Conditions | | |
| | CHMENT B: Scope of Work CHMENT C: Itemized Price | ζ, | | | | |
| | | List. and Conditions. | | | | |
| Any co | onflicts between Attachment A an | and Conditions. Id other Attachment | s will be re | solved in favor of Att | .a1 | |
| | | | | | | |
| A. A | MENTS INCORPORATED INT | O THIS CONTRA | CT BY RE | FERENCE BUT NOT | ATTACHED | : |
| B. U | Il other governmental laws, regul tah State Procurement Code, Pro | curement Rules and | Contractor | the goods and/or servi | ces authorized | by this Contract. |
| | | | | | RF5037 | _ dated 14-Sept2004. |
| IN WII | NESS WHEREOF, the parties si CONTRACTOR | gn and cause this co | entract to be | e executed. | | |
| | SEE ATTACHED | | | | STATE OF U | ТАН |
| | | | | | -// | 11 - |
| | Contractor's Signature WAYLUND LUDLOW | | , | David K | Miles. Opera | tions Engineer |
| | | | | DPH | Lan | - NOV 03 2004 |
| | Contractor's Name | | | Directo | or Division of | |
| | ASPHALT MANAGER | | | STANDED TO SELECT | or. Division of | |
| | Title | | - | EMISION OS CULTURE | - TO 1 1 1 | <u> </u> |
| Γ- | | JUN 2 4 | 2005 | Direc | tor, Division o | If Finance |
| - 1 | | | | E | N'D FEB | 2 8 2005 |
| | Debra Boulton | (901) 0 | 65 4070 | | | |
| | | | 65-4070 | (801) 965-4073 | <u>dbou</u> | lton@utah.gov |
| L_ | Agency Contact Person | Phone : | Number | Fax Number | En | nail Address |
| | | | | | | |

, ⊙∪ | טטסטסס∠

059101

MAIL TO:

STATE OF UTAH
DIVISION OF PURCHASING
3150 STATE OFFICE BUILDING, CAPITOL HILL
P.O. BOX 141061
SALT LAKE CITY, UTAH 84114-1061
TELEPHONE (801) 538-3026
FAX (801) 538-3882
http://purchasing.utah.gov

Invitation to Bid

Solicitation Number:

RF5037

Due Date:

09/14/04 @ 2:00 P.M.

Date Sent:

August 27, 2004



Goods and services to be

purchased:

PROVIDE WINTER PATCH MATERIAL

Please complete

| Company Name | | T | | | | |
|--|--|---------------|-----------------------------|--|--|--|
| GEWELL Prochets INC | | | ax Identification Number | | | |
| Ordering Address | | 1840 | 222611 | | | |
| | City | State | Zip Code | | | |
| P.O. Box 538 | Ovem | 40 | 84059 | | | |
| Remittance Address (if different from ordering address) | City | State | Zip Code | | | |
| | | | | | | |
| Туре | Company Contact Person | <u> </u> | <u></u> | | | |
| Corporation Partnership Proprietorship Government | Wayhud | المحاا | | | | |
| Telephone Number (include area code) | Fax Number (include area coo | le) | | | | |
| 801-765-7800 | 801-765- | 7970 | 3 | | | |
| Company's Internet Web Address | Email Address | | | | | |
| www.geneurrock.com | Days Required for Delivery After | eva ve | et .com | | | |
| Discount Terrod (for bid purposes, bid discounts less than 30 days will not be considered) | Days Required for Delivery After required minimums) | er Receipt of | Order (see attached for any | | | |
| The following documents are included in this solicitation: Solicitation: | otion forms in the Co. | | | | | |
| The following documents are included in this solicitation: Solicitation forms, instructions and general provisions, and specifications. Please review all documents carefully before completing. | | | | | | |
| The undersigned certifies that the goods are assistant of | | | | | | |
| The undersigned certifies that the goods or services offered are produced, mined, grown, manufactured, or performed in Utah. Yes No If no, enter where produced, etc | | | | | | |
| Offeror's Authorized Pepresentative's Signature | | | | | | |
| | Date | | | | | |
| Matha M | 9/13/0 | 4 | | | | |
| Type or Print dame | Position or Title | | | | | |
| | Lositioti of Little | | | | | |
| Wayland Lidlow | Asphalt | - W | WWAGED- | | | |
| | | | 110/02 | | | |

ATTACHMENT A: STANDARD TERMS AND CONDITIONS

- 1. AUTHORITY: Provisions of this contract are pursuant to the authority set forth in 63-56, <u>Utah Code Annotated</u>, 1953, as amended, Utah State other approved purchases for the State.
- 2. CONTRACT JURISDICTION, CHOICE OF LAW, AND VENUE: The provisions of this contract shall be governed by the laws of the State of Utah. The parties will submit to the jurisdiction of the courts of the State of Utah for any dispute arising out of this Contract or the breach thereof. Venue shall be in Salt Lake City, in the Third Judicial District Court for Salt Lake County.
- 3. LAWS AND REGULATIONS: Any and all supplies, services and equipment furnished will comply fully with all applicable Federal and State laws and regulations.
- 4. RECORDS ADMINISTRATION: The Contractor shall maintain, or supervise the maintenance of all records necessary to properly account for after the contract terminates, or until all audits initiated within the four years, have been completed, whichever is later. The Contractor agrees to services. Such access will be during normal business hours, or by appointment.
- 5. **CONFLICT OF INTEREST:** Contractor represents that none of its officers or employees are officers or employees of the State of Utah, unless disclosure has been made in accordance with 67-16-8, <u>Utah Code Annotated</u>, 1953, as amended.
- 6. CONTRACTOR, AN INDEPENDENT CONTRACTOR: The Contractor shall be an independent contractor, and as such, shall have no authorization, express or implied, to bind the State to any agreements, settlements, liability, or understanding whatsoever, and agrees not to perform by the State. The Contractor shall be responsible for the payment of all income tax and social security amounts due as a result of payments received employees or agents of the Contractor.
- 7. INDEMNITY CLAUSE: The Contractor agrees to indemnify, save harmless, and release the State OF UTAH, and all its officers, agents, volunteers, and employees from and against any and all loss, damages, injury, liability, suits, and proceedings arising out of the performance of this contract which are caused in whole or in part by the negligence of the Contractor's officers, agents, volunteers, or employees, but not for claims arising from the State's sole negligence.
- 8. EQUAL OPPORTUNITY CLAUSE: The Contractor agrees to abide by the provisions of Title VI and VII of the Civil Rights Act of 1964 (42USC 2000e) which prohibits discrimination against any employee or applicant for employment or any applicant or recipient of services, on the basis of the basis of sex; 45 CFR 90 which prohibits discrimination on the basis of age; and Section 504 of the Rehabilitation Act of 1973, or the Americans Order, dated March 17, 1993, which prohibits sexual harassment in the work place.
- 9. SEPARABILITY CLAUSE: A declaration by any court, or any other binding legal source, that any provision of this contract is illegal and void shall not affect the legality and enforceability of any other provision of this contract, unless the provisions are mutually dependent.
- 10. RENEGOTIATION OR MODIFICATIONS: This contract may be amended, modified, or supplemented only by written amendment to the contract, executed by the same persons or by persons holding the same position as persons who signed the original agreement on behalf of the parties hereto, and attached to the original signed copy of the contract.
- 11. DEBARMENT: The Contractor certifies that neither it nor its principals are presently debarred, suspended, proposed for debarment, declared ineligible, or voluntarily excluded from participation in this transaction (contract), by any governmental department or agency. If the Contractor agency if the Contractor of debarred by any governmental entity during the Contract period.
- 12. TERMINATION: Unless otherwise stated in the Special Terms and Conditions, this contract may be terminated, with cause by either party, in advance of the specified termination date, upon written notice being given by the other party. The party in violation will be given ten (10) working without cause, in advance of the specified expiration date, by either party, upon 90 days prior written notice being given the other party. On services rendered to date of termination.
- 13. NONAPPROPRIATION OF FUNDS: The Contractor acknowledges that the State cannot contract for the payment of funds not yet appropriated by the Utah State Legislature. If funding to the State is reduced due to an order by the Legislature or the Governor, or is required by State law, or obligations and the amount due from the State upon 30 days written notice. In the case that funds are not appropriated or are reduced, the State will any future commitments, penalties, or liquidated damages.
- 14. SALES TAX EXEMPTION: The State of Utah's sales and use tax exemption number is E33399. The tangible personal property or services being purchased are being paid from State funds and used in the exercise of that entity's essential functions. If the items being purchased are construction materials, they will be converted into real property by employees of this government entity, unless otherwise stated in the contract.
- 15. WARRANTY: The contractor agrees to warrant and assume responsibility for all products (including hardware, firmware, and/or software products) that it licenses, contracts, or sells to the State of Utah under this contract for a period of one year, unless otherwise specified and mutually agreed upon elsewhere in this contract. The contractor (seller) acknowledges that all warranties granted to the buyer by the Uniform Commercial Code of the State of Utah apply to this contract. Product liability disclaimers and/or warranty disclaimers from the seller are not applicable to this contract.

unless otherwise specified and mutually agreed upon elsewhere in this contract. In general, the contractor warrants that: (1) the product will do what the salesperson said it would do, (2) the product will live up to all specific claims that the manufacturer makes in their advertisements, (3) the product will be suitable for the ordinary purposes for which such product is used, (4) the product will be suitable for any special purposes that the State has relied on the contractor's skill or judgment to consider when it advised the State about the product, (5) the product has been properly designed and manufactured, and (6) the product is free of significant defects or unusual problems about which the State has not been warned. Remedies available to the State include the following: The contractor will repair or replace (at no charge to the State) the product whose nonconformance is discovered and made known to the contractor in writing. If the repaired and/or replaced product proves to be inadequate, or fails of its essential purpose, the contractor will refund the full amount of any payments that have been made. Nothing in this warranty will be construed to limit any rights or remedies the State of Utah may otherwise have under this contract.

- 16. PUBLIC INFORMATION: Contractor agrees that the contract will be a public document, and may be available for distribution. and Contractor gives the State express permission to make copies of the contract and/or of the response to the solicitation in accordance with the State of Utah Government Records Access and Management Act. The permission to make copies as noted will take precedence over any statements of confidentiality, proprietary information, copyright information, or similar notation.
- 17. DELIVERY: Unless otherwise specified in this contract, all deliveries will be F.O.B. destination with all transportation and handling charges paid by the Contractor. Responsibility and liability for loss or damage will remain with Contractor until final inspection and acceptance when responsibility will pass to the State except as to latent defects, fraud and Contractor's warranty obligations.
- 18. ORDERING AND INVOICING: All orders will be shipped promptly in accordance with the delivery schedule. The Contractor will promptly submit invoices (within 30 days of shipment or delivery of services) to the State. The State contract number and/or the agency purchase order number shall be listed on all invoices, freight tickets, and correspondence relating to the contract order. The prices paid by the State will be those prices listed in the contract. The State has the right to adjust or return any invoice reflecting incorrect pricing.
- 19. PAYMENT: Payments are normally made within 30 days following the date the order is delivered or the date a correct invoice is received, whichever is later. All payments to the Contractor will be remitted by mail unless paid by the State of Utah's Purchasing Card.
- 20. PATENTS, COPYRIGHTS, ETC.: The Contractor will release, indemnify and hold the State, its officers, agents and employees harmless from liability of any kind or nature, including the Contractor's use of any copyrighted or un-copyrighted composition, secret process, patented or un-patented invention, article or appliance furnished or used in the performance of this contract.
- 21. ASSIGNMENT/SUBCONTRACT: Contractor will not assign, sell, transfer, subcontract or sublet rights, or delegate responsibilities under this contract, in whole or in part, without the prior written approval of the State.
- 22. DEFAULT AND REMEDIES: Any of the following events will constitute cause for the State to declare Contractor in default of the contract:

 1. Nonperformance of contractual requirements; 2. A material breach of any term or condition of this contract. The State will issue a written notice of default providing a ten (10) day period in which Contractor will have an opportunity to cure. Time allowed for cure will not diminish or eliminate Contractor's liability for damages. If the default remains, after Contractor has been provided the opportunity to cure, the State may do one or more of the following:

 1. Exercise any remedy provided by law;

 2. Terminate this contract and any related contracts or portions thereof;

 3. Impose liquidated damages, if liquidated damages are listed in the contract;

 4. Suspend Contractor from receiving future solicitations.
- 23. FORCE MAJEURE: Neither party to this contract will be held responsible for delay or default caused by fire, riot, acts of God and/or war which is beyond that party's reasonable control. The State may terminate this contract after determining such delay or default will reasonably prevent successful performance of the contract.
- 24. PROCUREMENT ETHICS: The Contractor understands that a person who is interested in any way in the sale of any supplies, services, construction, or insurance to the State of Utah is violating the law if the person gives or offers to give any compensation, gratuity, contribution, loan or reward, or any promise thereof to any person acting as a procurement officer on behalf of the State, or who in any official capacity participates in the procurement of such supplies, services, construction, or insurance, whether it is given for their own use or for the use or benefit of any other person or organization (63-56-73, <u>Utah Code Annotated</u>, 1953, as amended).
- 25. CONFLICT OF TERMS: Contractor Terms and Conditions that apply must be in writing and attached to the contract. No other Terms and Conditions will apply to this contract including terms listed or referenced on a Contractor's website, terms listed in a Contractor quotation/sales order, etc. In the event of any conflict in the contract terms and conditions, the order of precedence shall be: 1. State Standard Terms and Conditions; 2. State Special Terms and Conditions; 3. Contractor Terms and Conditions.

(Revision date: Nov 21, 2003)

SECTION 02754S (Maintenance) ASPHALT PATCH MATERIAL

PART 1 GENERAL

1.1 SECTION INCLUDES

- A. Asphalt patch material.
- B. Asphalt crack filling material.
- C. Asphalt crack sealing material.

1.2 REFERENCES

- A. AASHTO T 30: Mechanical Analysis of Extracted Aggregate
- B. AASHTO T 44: Solubility of Bituminous Materials.
- C. AASHTO T 48: Flash and Fire Points by Cleveland Open Cup
- D. AASHTO T 49: Penetration of Bituminous Materials.
- E. AASHTO T 51: Ductility of Bituminous Materials.
- F. AASHTO T 170 Recovery of Asphalt from Solution by Abson Method
- G. AASHTO T 201: Kinematic Viscosity of Asphalts.
- H. AASHTO T 228: Specific Gravity of Semi-Solid Bituminous Materials.
- I. AASHTO T 240: Effect of Heat and Air on a Moving Film of Asphalt (Rolling Thin-Film Oven Test).
- J. AASHTO T 300: Force Ductility of Bituminous Materials.
- K. AASHTO T 301: Elastic Recovery Test of Bituminous Materials by Means of a Ductilometer.
- L. ASTM D 1190: Concrete Joint Sealer, Hot-Applied Elastic Type.
- M. ASTM D 2007: Characteristic Groups in Rubber Extender and Processing Oils and Other Petroleum-Derived Oils by the Clay-Gel Absorption Chromatographic Method.

- N. ASTM D 3405: Joint Sealants, Hot-Applied, for Concrete and Asphalt Pavements.
- ASTM D 4402: Standard Test Method for Viscosity Determination of Asphalt at O. Elevated Temperatures Using a Rotational Viscometer
- ASTM D 5167: Melting of Hot-Applied Joint and Crack Sealant and Filler for P.
- ASTM D 5329: Sealants and Fillers, Hot-Applied, For Joints and Cracks in Asphaltic Q. and Portland Cement Concrete Pavements.
- ASTM D 5801: Toughness and Tenacity of Bituminous Materials. R.

1.3 SUBMITALS

- For each shipment of material, supply a vendor-prepared bill of lading showing the A. following information as applicable:
 - Type and grade of material 1.
 - Type and amount of additives, used, if applicable 2.
 - 3. Destination
 - 4. Consignee's name
 - 5. Date of Shipment
 - Railroad car or truck identification 6.
 - 7. Project number
 - Loading temperature 8.
 - Net weight in English units (or net gallons corrected to 60 degrees F, when 9.
 - Specific gravity 10.
 - Bill of lading number 11.
 - Material Safety Data Sheet 12.
 - Manufacturer of asphalt material 13.

1.4 DELIVERY, STORAGE AND HANDLING

- Each shipment of asphalt material must: A.
 - Be uniform in appearance and consistency. 1.
 - Have a label affixed to each container identifying product name, manufacture 2. date, MSDS warnings, contact information and manufacturer name and
- Do not supply shipments contaminated with other asphalt types or grades than those В.

1.5 GRADE OF MATERIAL

A. The Engineer determines the grade of material to be used based on the supply source designated by the Contractor when the bid proposal lists more than one grade of asphalt material.

PART 2 PRODUCTS

2.1 CONTAINERIZED PATCH TYPE A

- A. Supply Type A patch in sealed reusable plastic 3-1/2 to 5 gallon containers.
- B. Minimum shelf storage life 24 months
- C. Free flowing from inverted bucket at room temperature. Unaffected when heated by external non-flame heat source.
- D. Patch material seals to sound existing asphalt pavement edge without tack or adhesive
- D. Meet the following specifications:

Table 1

| Table 1 CONTAINERIZED PATCH TYPE A PROPERTIES | | | | |
|---|--------------|-------------|--|--|
| Property | Test Method | Limits | | |
| Viscosity, cSt, 140°F(60°C), (1) | AASHTO T 201 | 1900-2000 | | |
| Ductility 77°F (25°C), 5 cm/mm, cm (1) | AASHTO T 51 | 100 | | |
| Penetration @ 77°F, 1 mm (1) | AASHTO T 49 | 76 | | |
| Flash Point, COC, °F (1) | AASHTO T 48 | 486 min | | |
| Asphaltenes, percent weight (1) | ASTM D 2007 | 12.0 - 13.0 | | |
| Polars, percent weight (1) | ASTM D 2007 | 42.2 | | |
| Bitumens, percent weight (1) | ASTM D 2007 | 5.4 | | |
| Bitumens, naturally occurring, percent weight (1) | ASTM D 2007 | 100 | | |
| Natural Resins, percent weight (1) | ASTM D 2007 | 0.6 | | |

| Polar Compounds, percent weight (1) | ASTM D 2007 | 40 min |
|---|-------------|---------------------------------|
| Natural Sands, percent weight | AASHTO T 30 | 32 min passing 100 mesh screen |
| Natural Clay, percent weight | AASHTO T 30 | 3-4 min passing 400 mesh screen |
| Filler Material crushed, percent weight | AASHTO T 30 | 0 |
| Filler Material naturally occurring, percent weight | AASHTO T 30 | 50-70 |

⁽¹⁾ Residue from AASHTO T 170 Recovery of Asphalt from Solution by Abson Method

E. **Performance** - field applied patch remain in place under normal traffic conditions for 36 months from original installation date. Contractor supplies replacement material for patches that come out of the pothole in less than 36 months from original installation date.

2.2 WINTER PATCH TYPE B

- A. Patch material contains 5.5 percent bituminous by weight by weight.
- B. Bituminous material is MC-250.
- C. Bid price may be adjusted after testing by UDOT Materials Division upwards or downwards by \$0.25 cents for each 0.1 percent of bitumen adjusted.
- D. Supply Winter Patch Type B material in bulk.
- E. Minimum storage life in covered open shed 12 months
- F. Free flowing from inverted loader bucket at 40 °F. Unaffected when heated by external non-flame heat source.
- G. Patch material seals to sound existing asphalt pavement edge with tack oil
- H. Meet the following specifications:

| WINT | Table 2 ER PATCH TYPE B PRO | PEDTIFC |
|--|-----------------------------|-------------------------------------|
| Property | Test Method | Limits |
| Viscosity, cSt, 140°F(60°C), (1) | AASHTO T 201 | 1900-2000 |
| Ductility 77°F (25°C), 5 cm/mm, cm (1) | AASHTO T 51 | 100 |
| Penetration @ 77°F, 1 mm (1) | AASHTO T 49 | 76 |
| Flash Point, COC, °F (1) | AASHTO T 48 | 486 min |
| Asphaltenes (1) | ASTM D 2007 | 12.0 - 13.0 |
| Polars, percent weight (1) | ASTM D 2007 | 42.2 |
| Bitumens, percent weight (1) | ASTM D 2007 | 5.4 |
| Bitumens, naturally occurring, percent weight | ASTM D 2007 | 100 |
| Natural Resins, percent weight (1) | ASTM D 2007 | 0.6 |
| Polar Compounds, percent (1) weight | ASTM D 2007 | 40 min |
| Natural Sands, percent weight | AASHTO T 30 | 32 minimum passing 100 mesh screen |
| Natural Clay, percent weight | AASHTO T 30 | 3-4 minimum passing 400 mesh screen |
| Filler Material crushed, percent weight | AASHTO T 30 | 0 |
| filler Material naturally ccurring, percent weight | AASHTO T 30 | 50-70 |

⁽¹⁾ Residue from AASHTO T 170 Recovery of Asphalt from Solution by Abson Method

Table 3

| | 1 able 3 | |
|------------------------------------|---------------------|------------------|
| WINTER PAT | CH TYPE B AGGREGATE | PROPERTIES |
| Test Method | Test Number | ½" Max Aggregate |
| One Fractured Face, percent | ASTM D 5821 | 90 min |
| Fine aggregate angularity, percent | AASHTO T 304 | 45 Min |
| Flat and Elongated Ratio | ASTM D 4791 | 20 max |
| L. A. Wear, percent loss | AASHTO T 96 | 40 max |
| Sand Equivalency | AASHTO T 176 | 45 min |
| Natural fines | | none |

Table 4

| WINTER PATCH TYPE B AGGREGATE GRADATIONS | | |
|--|-----------------|--|
| Nominal Sieve Size (inch) | Percent Passing | |
| 1 | | |
| 3/4 | | |
| 1/2 | 90 - 100 | |
| 3/8 | < 90 | |
| No. 4 | | |
| No. 8 | 28-58 | |
| No. 200 | 2-10 | |

2.3 WINTER PATCH TYPE C

- A. Material is a specialized winter patch material used for repairing potholes during winter months.
- B. Combination of liquid asphalts (oils) and natural or synthetic aggregates
- C. Bituminous material is 3-7 percent by weight
- D. Remains flexible and adhesive at temperatures down to 0 °F.

- E. Acceptable products approved for use in these applications by the Utah Department of Transportation include:
 - 1. UPM High Performance Cold Mix
 - 2. QPR 2000 (U.S. Pro Tec)
 - 3. Pro Patch (Standard American Oil Company)
 - 4. Bond X (Seaboard Asphalts)
- F. Do not us limestone or limestone derived aggregates
- G. Contractor removes and replaces material showing stripping in stockpile within ten days of notification by UDOT at own cost.

Table 5

| | able 5 | | | | |
|---|--------------|-------------|--|--|--|
| WINTER PATCH TYPE C PROPERTIES | | | | | |
| Property | Test Method | Limits | | | |
| Viscosity, cSt, 140°F(60°C), (1) | AASHTO T 201 | 1900-2000 | | | |
| Ductility 77°F (25°C), 5 cm/mm, cm (1) | AASHTO T 51 | 100 | | | |
| Penetration @ 77°F, 1 mm (1) | AASHTO T 49 | 76 | | | |
| Flash Point, COC, °F (1) | AASHTO T 48 | 486 min | | | |
| Asphaltenes (1) | ASTM D 2007 | 12.0 - 13.0 | | | |
| Polars, percent weight (1) | ASTM D 2007 | 42.2 | | | |
| Bitumens, percent weight (1) | ASTM D 2007 | 5.4 | | | |
| Polar Compounds, percent weight (1) | ASTM D 2007 | 40 min | | | |
| (1) D :1 C A CYTEC T :1=0 | | | | | |

(1) Residue from AASHTO T 170 Recovery of Asphalt from Solution by Abson Method

Table 6

| nie o | | | |
|---------------------|--|--|--|
| AGGREGATE GRADATION | | | |
| Percent Passing | | | |
| 100 | | | |
| 90-100 | | | |
| 5-55 | | | |
| 5-30 | | | |
| 0-10 | | | |
| 0-5 | | | |
| | | | |

2.4 HOT-POUR CRACK SEALANT FOR BITUMINOUS CONCRETE

- A. Combine a homogenous blend of materials to produce a sealant meeting properties and tests in Table 2.
- B. Packaging and Marking: Supply sealant pre-blended, pre-reacted, and pre-packaged in lined boxes weighing no more than 30 lb.
 1. Use a dissolvable lining that will assert to be a dissolvable lining that will be a dissolvable line will be a dissolvable
 - 1. Use a dissolvable lining that will completely melt and become part of the sealant upon subsequent re-melting.
 - 2. Deliver the sealant in the manufacturer's original sealed container.
 - 3. Clearly mark each container with the manufacturer's name, trade name of sealant, batch or lot number, and recommended safe heating and application temperatures.

| | Table 7 | | | | |
|---|---|-----------------------------------|--------------|--|--|
| Hot-Pour Bituminou | s Concrete Crack Sealant | | | | |
| Application Properti | es: | | | | |
| Workability: | Pour readily and penetrate 0.25 in and w application temperature range recommend | ider cracks for ded by the man | the entire | | |
| Curing: | No tracking caused by normal traffic after 45 minutes from application. | | | | |
| Asphalt Compatibility: ASTM D 5329, Sec 14. | No failure in adhesion. No formation of an oily ooze at the interface between the sealant and the bituminous concrete or softening or other harmful effects on the bituminous concrete. | | | | |
| Material Handling: | Follow the manufacturer's safe heating an | d application t | emperatures. | | |
| Test Method | Property | Minimum | Maximum | | |
| AASHTO T51 | Ductility, modified, 1cm/min, 39.2°F(4°C),cm | 30 | | | |
| UDOT method 967 Cold Temperature Flexibility | | no cracks | | | |
| AASHTO T 300 (a) | Force-Ductility, lbf | | 4 | | |
| ASTM D 5329 | Flow 140°F(60°C), 5 hrs 75 ° angle, mm | | 3 | | |
| ASTM D 3405 (b) | Tensile-Adhesion, modified | 300% | | | |
| AASHTO T 228 | Specific Gravity, 60°F(15.6°C) | | 1.140 | | |
| ASTM D 5329 | Cone Penetration, 77°F(25°C), 150 g, 5 sec., dmm | | 90 | | |
| ASTM D 5329 | Resilience, 77°F(25°C), 20 sec., percent | 30 | | | |
| ASTM D 4402 | Viscosity, 380°F(193.3°C), SC4-27 spindle, 20 rpm, cP | | 2500 | | |
| ASTM D 5329 | Bond as per ASTM D 1190, Section 6.4 | | Pass | | |
| 39.2°F(4°C). | 3405, Section 6.4.1. Delete bond and subs | | in, | | |

PART 3 EXECUTION

- C.
- Deliver product to address shown on purchase order.

 1. Type A minimum order 4 buckets

 2. Type B Minimum one ton loose

 3. Type C minimum order 4 containers

 4. Hot Crack Sealant 30 pound boxes, palletized

END OF SECTION

ATTACHMENT C: ITEMIZED PRICE LIST

| DELIVERY POINT | PHONE # | TYPE | UNIT PRICE |
|---|--------------|------|---------------------|
| Sta. 3433 Tabiona | 435-848-5665 | A | \$ 0.42/lb |
| Sta. 3434 Duchesne 8225 South 21510 West | 435-738-5731 | A | \$ <u>0.42/lb</u> |
| Sta. 3435 Roosevelt | 435-722-2942 | A | \$_0.44/lb |
| Sta. 3436 Manila | 435-784-3534 | A | \$ <u>0.47/lb</u> |
| Sta. 3437 Vernal 318 North Vernal Ave. | 435-789-2333 | A | \$ <u>0.57/lb</u> |
| Sta. 3433 Tabiona | 435-848-5665 | C | \$ 81.81/ton |
| Sta. 3434 Duchesne 8225 South 21510 West | 435-738-5731 | C | \$ <u>81.81/ton</u> |
| Sta. 3435 Roosevelt | 435-722-2942 | C | \$ <u>82.81/ton</u> |
| Sta. 3436 Manila | 435-784-3534 | C | \$ <u>85.20/ton</u> |
| Sta. 3437 Vernal 318 North Vernal Ave. | 435-789-2333 | C | \$ <u>91.90/ton</u> |
| Pick up by State Forces | | | |
| Type A | | | \$ <u>0.17/lb</u> |
| Type C | | | \$ 65.00/ton |

ATTACHMENT D: SPECIAL TERMS AND CONDITIONS

- 1. **CONTRACT PURCHASE:** This is a requirements contract to provide the State with various types of winter patch material for a period of two (2) years.
- 2. **CONTRACT ACCEPTANCE:** At the time the bid form is signed by the offeror, the signature of that offeror will be used as a legally binding signature, if awarded the contract. When signed by the Division of Purchasing, a Utah Department of Transportation Representative and assigned a contract number, this document will become a legally binding contract with the offeror for the contract period specified.
- 3. **CONTRACT INCLUSION:** The bid document, its terms and conditions as well as any counter offers which are accepted/acceptable to the State, shall be incorporated into and by reference become a part of this contract.
- 4. **QUANTITY OR AMOUNT ESTIMATES:** Estimated contract quantities are for bidding purposes only and are not to be construed as a guarantee to purchase any amount.
- 5. **PRICING:** The Contractor agrees that the prices bid on materials in this contract shall be guaranteed for the term of the contract.

REQUESTS FOR A PRICE CHANGE MUST BE SUBMITTED FOR APPROVAL ALONG WITH SUPPORTING DOCUMENTATION TO THE STATE A MINIMUM OF 45 DAYS PRIOR TO THE PROPOSED DATE OF CHANGE. ONLY ONE PRICE INCREASE SHALL BE ALLOWED EACH YEAR.

- 6. **WAGES:** The Contractor shall be responsible for all applicable company wages in accordance with the federal, state and local laws and ordinances.
- 7. **LICENSING:** The Contractor agrees to secure and maintain all necessary licenses, permits and bonds that may be required by the State or local authorities to perform said services.
- 8. **INVOICING:** THE CONTRACT NUMBER AND ORDER NUMBER MUST APPEAR ON ALL INVOICES, BILL OF LADING, PACKAGES AND ALL CORRESPONDENCE.

The Contractor shall submit invoices to the Utah Department of Transportation, ordering Region. The State will remit payment by mail.

ATTACHMENT D: SPECIAL TERMS AND CONDITIONS

- 9. NON-COMPETE CLAUSE: The Contractor represents its officers and employees are free to contract with the State and are subject to restrictions by the terms of their present or past employment including, but not limited to an agreement not to compete for a period of time unless disclosure has been made. Contractor must disclose to the State any possible conflicts, in writing, before the contract is signed and the State will evaluate whether to continue with contract execution. The State may elect to terminate a contract immediately with a Contractor who is subsequently determined to be subject to such restrictions without liability to the State. If the State elects to terminate a contract for this reason, the State will supersede paragraph #12 in Attachment A Standards Terms and Conditions and will not provide the specified notice to the Contractor.
- 10. **DELIVERY:** Material is to be delivered and stockpiled by the Contractor at various locations. Delivery of material shall be coordinated with a State designated agent.
 - Certified weight tickets approved by the district Maintenance Engineer shall be provided by the Contractor. The Contractor shall provide written certification stating the material delivered complies to specifications.
- 11. **PERFORMANCE BOND:** The Contractor shall provide a performance-payment bond amounting to fifteen percent (15%) of the annual contract amount guaranteeing performance, product and payment.